

PLANE PLUS

Version

Plus - Wall - 120 cm - White -
800 m³/h

Designer

Collection

Design

EAN code

8034122367071

FEATURES

Perimeter suction
Electronic control
Metallic grease filter,
removable and washable
Combined regenerable
Carbon.Zeo filter (optional)
Remote control (optional)
Dimmable lighting
Dynamic Light (2700K - 5600K)
Dialogue system with auto
mode

OPTIONAL ACCESSORIES

KACL.1032#BF

Extension H700 Wall - White

KACL.1033#BF

Extension H960 Wall - White

KACL.1039

Carbon.Zeo Microtech filter

KACL.865

Air flow conveyer for re-
circulation version (Wall)

105080053

Remote control

TECHNICAL FEATURES

Installation type

Wall

Dimensions

120 cm

Finishing

Painted white steel

Motor

800 m³/h

Type of control

Electronic control

Speed

3 + boost

Lighting

Strip Led - 2700 K / 5600 K

Minimum distance

Gas hob: 60 cm

Electric hob: 52 cm



Photograph is for information purposes only
It may not correspond to the selected version.

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

33.9 kg

Net weight

27.1 kg

Volumes

0.37 m³

Packaging size

Length

1310 mm

Height

480 mm

Depth

595 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Voltage

220-240V

Frequency

50-60Hz

MOTOR TECHNICAL SHEET

Maximum capacity

641 m³/h

I.E.C. 61591

Maximum noise level

69 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)


500 Pa

Max. motor power

245 W

ENERGY CLASS

A



PLANE PLUS

Version

Plus - Wall - 120 cm - White -
800 m³/h

Designer

Collection

Design


EAN code

8034122367071

MOTOR TECHNICAL SHEET

| Motor speed | 1 | 2 | 3 | 4 |
|--|-----|-----|-----|-----|
| Noise level dB(A) _{re1pW-I.E.C.60704-2-13} | 51 | 61 | 66 | 69 |
| Capacity (m ³ /h) I.E.C.61591 | 313 | 468 | 573 | 641 |
| Maximum pressure (Pa) | 390 | 420 | 480 | 500 |
| Power (W) | 145 | 175 | 215 | 245 |
| Air outlet | 150 | 150 | 150 | 150 |

CAPACITY / PRESSURE



PLANE PLUS

Version

Plus - Wall - 120 cm - White -
800 m³/h

Designer


Collection

Design

EAN code

8034122367071

ENERGY LABEL



| PF | | |
|------------|--|-------------------|
| S | Falmec Spa | |
| M | Plus - Wall - 120 cm - White - 800 m ³ /h | |
| AEC | 48,5 | kWh/a |
| EEC | A | |
| FDE | 29,2 | |
| FDEC | A | |
| LE | 14,2 | |
| LEC | D | |
| GFE | 80,0 | |
| GFEC | C | |
| Qmin | 313,0 | m ³ /h |
| Qmax | 573,0 | m ³ /h |
| Qboost | 641,0 | m ³ /h |
| SPEmin | 51 | dBa |
| SPEmax | 66 | dBa |
| SPEboost | 69 | dBa |
| PO | - | W |
| PS | 0,48 | W |
| PI | | |
| F | 0.9 | |
| EEL | 53,2 | |
| Qbep | 366,0 | m ³ /h |
| Pbep | 373 | Pa |
| Qboost | 641,0 | m ³ /h |
| Wbep | 130,0 | W |
| WL | 8,00 | W |
| Emiddle | 114 | lux |
| Lwa-SPEmax | 66 | dBa |

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEI_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax_Sound pressure level at the highest speed.